



Release Notes



1Plan

Version 2.0.0

17 October 2018

Contents

1	Introduction.....	3
1.1	Scope.....	3
1.2	Purpose of Release.....	3
1.3	System Requirements	3
1.3.1	Operating system.....	3
1.3.2	Hardware	3
1.3.3	3rd Party Software.....	3
2	Release details	5
2.1	Upgrading from a previous release	5
2.1.1	Special Installation Instructions for 1Plan 1.7.2.....	5
2.1.2	Special Installation Instructions for 1Plan 1.7.1.....	5
2.1.3	Upgrading from 1.4.....	5
2.1.4	Upgrading from 1.3.....	5
2.2	Significant changes since 1Plan 1.7.....	6
2.3	Significant changes since 1Plan 1.6.....	6
2.4	Significant changes since 1Plan 1.5.....	6
2.5	Significant changes since 1Plan 1.4.....	6
2.6	Significant changes since 1Plan 1.3.....	6
2.6.1	Change to LDAP settings.....	6
2.7	New Functionality in this release	7
2.8	Bugs Fixed in this release	8
2.9	Known Issues and Unresolved Bugs.....	10
3	Providing Feedback.....	11

1 Introduction

1.1 Scope

The purpose of the Release Note is to document the new functionality provided by the release and any known issues or limitations. The release notes will also record any administrative instructions that are specific to this release and not recorded elsewhere.

1.2 Purpose of Release

This is a full standard release that adds additional functionality to the previous release, see below for details.

1.3 System Requirements

1.3.1 Operating system

This version of 1Plan is supported on the following operating systems:

- Microsoft Windows Server 2012
- Oracle Linux 7.4

1.3.2 Hardware

Minimum hardware configuration:

- Minimum of 4GB RAM
- Minimum of 2 CPU cores
- Hardware is dependent on required response times and throughput. Heavily used multi-user systems will need higher server specifications, please contact 1Spatial support (see below) for guidance on server configurations.

1.3.3 3rd Party Software

1.3.3.1 Database

- Oracle Database 11g Release 2
- Oracle Database 12c Release 1

The Oracle database requires the Locator option installed.

1.3.3.2 Application Server

The following application servers are supported (Note that Wildfly is provided as part of the installation package, and Oracle WebLogic is a pre-requisite that must be installed beforehand):

- Oracle WebLogic Server 12.2.1.3 Standard edition or Enterprise edition (Enterprise Edition only needed, if clustering multiple WebLogic servers for resilience and scalability), or
- Wildfly 11.0.0 (Windows only) provided as part of the installation

1.3.3.3 Browser Support

This product works with most of the recent versions of Chrome, Firefox and Internet Explorer. The specific versions that have been tested for this release are:

Browser
Microsoft Internet Explorer 11
Google Chrome 69
Mozilla Firefox 57

Other browser clients may be used, but support requests will only be progressed if the issue can be replicated on a supported browser.

2 Release details

The following sections provide a description of this release of 1Plan.

2.1 Upgrading from a previous release

2.1.1 Special Installation Instructions for 1Plan 2.0.0

No special installation instructions for WebLogic deployment. This is the first release with Wildfly support. Contact 1Spatial customer support for advice on migrating from WebLogic to Wildfly.

2.1.2 Special Installation Instructions for 1Plan 1.7.2

No special installation instructions.

2.1.3 Special Installation Instructions for 1Plan 1.7.1

If you are upgrading to 1Plan 1.7.1 from an existing version of 1Plan 1.7.0 installed alongside the following versions of other 1SMS components, you will need to manually replace a security provider JAR file within WebLogic:

- 1Exchange 1.3.0
- 1Transact 2.2.0
- 1Validate 1.7.0
- 1Workflow 1.3.0
- 1Workflow_Worklist 1.3.0

1. Locate the latest **ms-common-weblogic-security-provider.jar** file within your release package: <release package>\msplan-release-1.7.1-release.zip\msplan-release-1.7.1\install\dependencies
2. Within WebLogic, shut down all servers (including the Admin Server).
3. Repeat the following steps for each machine in the domain:
 - a. Navigate to <domain-dir>\lib
 - b. Replace the JAR file with the one from your release package.
4. Re-start all servers.

2.1.4 Upgrading from 1.4

Note that adding integer or real fields to job metadata definitions is not supported in 1Edit release 2.5 or older. Ensure that you are using a suitable version of 1Edit before adding these types of field to job metadata.

2.1.5 Upgrading from 1.3

The 1Plan metadata table is automatically upgraded to include the 'mandatory' column when 1Plan is deployed. It is recommended that after the installation, an administrator visits the 1Plan admin settings and on the Job

Metadata page, changes any setting in the table to a different value then changes it back again in order to allow the page to be saved. Then pressing save on this Job Metadata page ensures that the UI is properly synchronised with the contents of the table which reduces the risk of unexpected behaviour after the upgrade.

2.2 Significant changes since 1Plan 1.7

- Support Wildfly 11.0.0

2.3 Significant changes since 1Plan 1.6

- Support Oracle WebLogic Server 12.2.1.3
- Support Java 8 JDK 1.8.0 update 141 (64-bit)

2.4 Significant changes since 1Plan 1.5

A new “Identify Feature” option can be used to display the attributes of a background map feature.

2.5 Significant changes since 1Plan 1.4

- Ability to control map requests to be png or jpeg
- Ability to control map requests to be single or multiple tiles.
- Ability to delete abandoned jobs
- Allow integer and real job metadata field types (note, requires a release of 1Edit newer than 2.5 before adding integer or real job metadata fields)
- Specify planner when creating jobs via REST API

2.6 Significant changes since 1Plan 1.3

The 1Plan job metadata table now contains a ‘mandatory’ column to mark which metadata is mandatory when creating a job. Upgrade of the metadata table is automatic when installing the new release.

Job archiving has been added which has added a new job status of ‘Archived’.

2.6.1 Change to LDAP settings

In order to support connecting to LDAP servers via SSL, 1Plan's own LDAP settings have been removed in order to use the LDAP settings of the WebLogic container.

If you are installing into a newly created WebLogic domain then ensure that you first use the latest installer to install the authentication providers. See the release notes from version 1.4 for more details.

2.7 New Functionality in this release

2.0.0	
New platform support	- Wildfly 11.0.0
1.7.0	
New platform support	- Oracle WebLogic 12.2.1.3 - Java 8 JDK 1.8.0 update 141 (64-bit)
1.6.0	
MSPLAN-889	New "Identify Feature" option can be used to display the attributes of a background map feature.
1.5.0	
MSPLAN-704	1Plan Admin option to serve up WMS layers as single tile or multiple tiles (to avoid labels in each tile)
MSPLAN-705	1Plan Admin option to serve up map layers in either png or jpeg format
MSPLAN-720	Allow job metadata fields to be Integer or Real types
MSPLAN-893	Enable an Abandoned Child Job to be deleted
MSPLAN-896	Specify "planner" when creating jobs via REST API
1.4.1	
MSPLAN-888	Move 'Archived' Status to a different area in User Settings so that it doesn't get enabled or disabled in batch with the other statuses
1.4.0	
MSPLAN-866	Allow archiving of jobs
MSPLAN-696	Allow administrator to define which job metadata is mandatory
MSPLAN-843	Open 1Plan URL and pass coordinate and zoom to location
MSPLAN-464	Place 'Create job by bounding box' fields in a compass point layout
MSPLAN-857	Change Abandon icon as current icon looks like a delete operation
1.3.114	
MSPLAN-863	New 1SMS online help accessible from all products
1.3.113	
MSPLAN-828	Allow 1Plan to connect to secured LDAP
MSPLAN-831	1Plan to use LDAP settings from WebLogic in the same way as the rest of the 1SMS
MSCOMMON-497	Remove redundant JDK selection from installer and warn users when installing into a
1.3.111	
MSCOMMON-549	Support Oracle Linux 6.7
1.3.107	
MSPLAN-809	Support quarantine of job
MSCOMMON-444	Improve resilience by removing the dependency on having a constantly running
MSINT-169	Support Java 1.7 update 80
1.3.105	
MSPLAN-796	Allow multiple FeatureTypes to be selected from a single selectable WFS layer by
1.3.101	
MSPLAN-738	Automatically create job names from job metadata
MSPLAN-479	The ability to order the list of base maps in the Map Layers Configuration settings in

MSPLAN-706	Ability to add Map Layers from a WMTS
MSPLAN-702	Use WFS for selectable layers instead of WMS GetFeatureInfo
MSPLAN-766	Make 1Plan login page layout the same as 1Transact and 1Exchange
1.2	
New platform support	<ul style="list-style-type: none"> - Oracle Weblogic Server 12.1.3 - Oracle Database 12c Release 1 - Windows Server 2012 - 64 bit Java 1.7.0_76
MSPLAN-654	Order of search results in 1Plan
MSPLAN-698	Pan to a specified x,y coordinate
MSPLAN-653	Show username of logged in user
MSPLAN-670	Highlight the <i>job failure type</i> field when a job has failed to be completed
MSPLAN-681	Ability to copy the results from the search table
MSPLAN-701	Add map view zoom previous, zoom next buttons

2.8 Bugs Fixed in this release

1.7.1	
MSCOMMON-707	Server logging not working on WebLogic 12.2
OSIGMS-146	SOAP API client handling can cause services to fail intermittently.
1.6.0	
MSPLAN-898	Revert 'cancel digitising' icon back to a plain X
MSPLAN-763, MSPLAN-756	1Plan admin interface: column naming improvements
1.5.0	
MSPLAN-894	LDAP error on startup
MSPLAN-901	1Plan is not recording history properly
1.4.2	
MSPLAN-885	Error message when zooming beyond tile level of WMTS "Cannot read property 'scaleDenominator' of undefined"
MSPLAN-886	Overlay list selection is not remembered between sessions
MSPLAN-669	Map Location, status and basemap settings not remembered between sessions
1.4.0	
MSPLAN-860	1Plan throws "Error loading metadata for index file" and prevents users logging into 1Edit's Worklist
MSPLAN-868	Save job button stays enabled allowing multiple identical jobs to be created
1.3.113	
MSPLAN-712	LDAP configuration via REST API can only be called once
MSCOMMON-556	Authentication Provider Setup is failing to connect to a SSL enabled Admin Server because is not possible to set the protocol to t3s. (Note, the SSL trust certificate must be installed in JDK or WebLogic trust store before installing the authentication providers or the connection to WebLogic will hang indefinitely with no feedback)
1.3.111	

MSWORKFLOW-476	Quarantine job checkbox is visible for all 1Plan jobs whether it's enabled in Worklist or not.
1.3.108	
MSPLAN-834	Copying and Pasting coordinates box into Centre Map dialogue in 1Plan causes 1Plan and IE to hang
MSPLAN-835	1Plan remembers username of user previously logged in
MSPLAN-836	Copy Search Results only works after Performing a Search and is restricted to first page of results
1.3.106	
MSPLAN-800	Feature Selection with ArcGIS WFS is not selecting features
MSPLAN-663	When returning to 1Plan after some idle time, a Forbidden message is being displayed at the top of the screen
1.3.105	
MSPLAN-798	Editing job extents by adding new features does not include the original job extent
MSPLAN-797	Job highlight layer doesn't appear when digitising a job for the first time after selecting a layer
MSPLAN-794	Rendering selectable geometries on client side is too slow or hangs browser on some environments
1.3.101	
MSPLAN-664	Gazetteer search should only add a wildcard to the end of the search text
MSPLAN-711	Selecting overlapping job extents results in nearby job extents being included in the search results table
MSPLAN-719	1Plan throws an error while searching for LDAP groups, resulting in Error 500 – Internal Server Error.
MSPLAN-780	Changing mode via REST does not update Planning User Access for the status field.
MSPLAN-741	Closing the location search does not show the Settings or Layer buttons
MSPLAN-769	Copy search results does not include commas between customer metadata values
MSPLAN-775	Replaying an abandoned child job causes job and parent job to fail – do not replay an abandoned child job, the button will be removed in next release
1.2	
MSPLAN-478	When the mouse is hovered over a job extent it is not possible to pan the map
MSPLAN-699	Job search results column headings do not auto resize
MSPLAN-663	When returning to 1Plan a Forbidden message is being displayed at the top of the screen.
MSPLAN-740	Clicking the currently enabled search type (Job/Gazetteer) should not toggle the search type.

2.9 Known Issues and Unresolved Bugs

ID	Description and work around
MSPLAN-791	Automatic job name creation complains when using empty custom metadata fields. (Workaround is to click on the field to confirm it as empty before saving job)
MSPLAN-790	Remove Title field from Automatic Job Name Generation options
MSPLAN-789	Add Feedback to the user on the admin page if adding an invalid wmts (currently only happens when viewing map)
MSPLAN-788	Base Layer overlay field is not persisted when disabled- still displayed on map in next session
MSPLAN-787	No feedback to the user when they try to zoom to a point outside the map extents and nothing happens
MSPLAN-773	Copy search results fails if selecting overlapping jobs
MSPLAN-709	On a clustered environment, Starting multiple plan servers at the same time results in job search not working. Workaround is to start the services one after the other.
MSPLAN-666	Use of arrow keys in the "search results table" pans the map.
MSPLAN-650	IE may not show any base layers due to a security warning when using secured map services
MSPLAN-646	No validation on planning and start dates when editing a digitized job.
MSPLAN-505	Cannot Select user by typing into the user field.
MSPLAN-480	Pinch-zoom resizes user interface in Firefox.
MSPLAN-466	The stylus does not allow you to select an item from a drop list.
MSPLAN-423	Starting to create a job before existing jobs have loaded results in your new job being lost.
MSPLAN-416	When entering bounding box details if you scroll the page, the default values stay.
MSPLAN-413	Improve the message received by the user when using incorrect search syntax.
MSPLAN-408	Gazetteer search should have same behaviour as job search when no matching items found.
MSPLAN-373	Cannot finish job digitising on touch screen.
MSPLAN-371	UK date format hardcoded in the UI.
MSPLAN-265	No feedback when base layers are loading.

3 Providing Feedback

If assistance is required while deploying this release, please contact either your Distributor or 1Spatial Support.

1Spatial Support is a dedicated support channel to users of the software to raise bugs and ask questions specific to 1SMS.

To contact 1Spatial Support, please visit our website: <http://www.1spatial.com/services/support>

Maximise the value of this release with 1Spatial training courses. For training enquiries please contact your Account Manager or email: training@1spatial.com.