



Release Notes



1Transact

Version 2.1.204

29 April 2016

Copyright © 2016, 1Spatial Group Ltd. All rights reserved.

1Spatial Group. ■ Registered in England No. 4785688

Registered Office Tennyson House, Cambridge Business Park, Cambridge, CB4 0WZ, UK

Telephone: +44 (0)1223 420414 Fax: +44 (0)1223 420044 www.1spatial.com



Contents

1	Introduction.....	3
1.1	Scope.....	3
1.2	Purpose of Release.....	3
1.3	System Requirements	3
1.3.1	Operating system.....	3
1.3.2	Hardware	3
1.3.3	3rd Party Software.....	3
2	Release details	5
2.1	Upgrading the PostgreSQL extension from a previous release.....	5
2.2	New Functionality in this release	5
2.3	Bugs Fixed in this release	6
2.4	Known Issues and Unresolved Bugs.....	7
3	Providing Feedback.....	8

1 Introduction

1.1 Scope

The purpose of the Release Note is to document the new functionality provided by the release and any known issues or limitations. The release notes will also record any administrative instructions that are specific to this release and not recorded elsewhere.

1.2 Purpose of Release

This is a full maintenance release that builds on previous release to support WebLogic 12.1.3 and adds some improvements to the PostgreSQL extension as detailed below.

1.3 System Requirements

1.3.1 Operating system

This version of 1Transact is supported on the following operating systems:

- Microsoft Windows Server 2012
- Oracle Linux 6.7

1.3.2 Hardware

Minimum hardware configuration:

- Minimum of 4Gb RAM
- Minimum of 2 CPU cores
- Hardware is dependent on required response times and throughput. Heavily used multi-user systems will need higher server specifications, please contact 1Spatial support (see below) for guidance on server configurations.

1.3.3 3rd Party Software

1.3.3.1 Database

- Oracle Database 11g Release 2
- Oracle Database 12c Release 1
- PostgreSQL version 9.3.3

1.3.3.2 Application Server

- Oracle WebLogic Server 12.1.3. Standard edition or Enterprise edition (Enterprise Edition only needed if clustering multiple WebLogic servers for resilience and scalability)

1.3.3.3 Browser Support

This version of 1Transact is supported on the following internet browsers:

- Microsoft Explorer v9 or v10
- Mozilla Firefox v22 or later
- Google Chrome v26+

2 Release details

The following sections provide a description of this release of 1Transact.

Note: The PostgreSQL extension version number is not locked to the 1Transact version number. This version's PostgreSQL extension number is 2.0.4.

Note: Previously, the master version and initial checkpoint metadata were created when the extension was installed. In order to support seamless backup and restore these are now lazily created when a table is first activated. This means that the version, checkpoint and closure metadata tables in the sms_1transact schema will appear empty until the first table is activated, but after this the content and structure of these tables are unchanged from previous versions.

2.1 Upgrading the PostgreSQL extension from a previous release

You can then follow the 1SMS installation guide's chapter on installing 1Transact and follow the instructions for updating the Postgres extension, which will retain your current configuration, please note the following additional instructions:

Version 2.0.4 of the PostgreSQL extension will create an index on end_ckpts columns on newly activated tables, but not on tables that are already activated. If you have not already done so you can add the index to tables which have already activated by previous releases of 1Transact by using this SQL: Apply this to each activated table or, if the table is partitioned, then this command needs to be run using the name of each of the child partition tables.

```
CREATE INDEX ON <schema>.<activated_table>_vm (end_ckpts);
```

Where the schema is the table's schema and activated_table is the name of the activated table (which now has been renamed with an _vm suffix)

2.2 New Functionality in this release

2.1.204	
MSCOMMON-540	Support for Oracle Linux 6.7
2.1.202	
MSTRANSACT-371	Set ejb timeout for workspace manager to a higher default value (from 30 mins to 3 hours)
MSCOMMON-519	Remove JDK version check from installation scripts
2.1.201	
MSTRANSACT-367	Change how 1Transact detects primary keys in Oracle to exclude DELSTATUS as well as VERSION
MSTRANSACT-366	Improve logging of SQL errors in Transact log
MSCOMMON-444	Improve resilience by removing the dependency on having a constantly running AdminServer
MSINT-169	Support Java 1.7 update 80

2.1.101	
New platform support	<ul style="list-style-type: none"> - Oracle Weblogic 12.1.3 - Oracle Database 12c Release 1 - Windows Server 2012 - 64 bit Java 1.7.0_76
2.0.201	
MSTRANSACT-304, MSTRANSACT-323	Refine access control options for sms_1transact.sql Postgres functionality with specific roles to allow more locked-down access control. See the PostgreSQL Programmers Guide for more details.
MSTRANSACT-317, MSTRANSACT-331 MSTRANSACT-316	Create implicit checkpoint immediately when new version has been created rather than just-in-time.
MSTRANSACT-319	Improve reporting of features in 'difference between checkpoints' view that moved partition; currently they are managed by PostGIS partitioning as a Delete & Create rather than a Modify.

2.3 Bugs Fixed in this release

2.1.202	
MSTRANSACT-372	Automatic conflict resolution for Oracle Workspace Manager fails on tables with more than one primary key
2.1.201	
MSTRANSACT-355	PostgreSQL: Replace SECURITY DEFINER with SECURITY INVOKER from extension functions to remove errors when using a stricter security configuration
MSTRANSACT-337	PostgreSQL: Ensure backup and restore works correctly for 1Transact metadata.
MSTRANSACT-314	Re-enable WS-Security header message in SOAP callback responses and fix memory leaks
2.1.101	
MSTRANSACT-314	Revoke this change as it causes memory leaks: Change SOAP web service so that it sends a WS-Security header message in its callback response.
2.0.202 (pg 2.0.3)	
MSTRANSACT-342	Checkpoint creation is incorrectly naming the new open state checkpoint not the previous one
2.0.201	
MSTRANSACT-314	Change SOAP web service so that it sends a WS-Security header message in its callback response.
MSTRANSACT-331	Implicit checkpoint is not created if the first thing done in a new version is to create an explicit checkpoint, meaning checkpoint names getting trampled.
MSTRANSACT-318	Throw an exception if checkpoints are created with the same name to

	enforce uniqueness.
MSTRANSACT-300	Make Version and checkpoint creation date a timestamp not just a date
MSTRANSACT-316	Automatic checkpoint creation happens just-in-time which confuses users, create them immediately instead.

2.4 Known Issues and Unresolved Bugs

MSTRANSACT-326	SOAP Web service requires that callback URLs are passed as HTML URL-encoded strings.
MSTRANSACT-325	Postgres: Automatically create diff views when activating tables and use a <code>set_difference_checkpoints()</code> function to specify the checkpoints to difference.
MSTRANSACT-325	Support foreign key references / join tables
MSTRANSACT-303	Better API and better support for read-only database nodes by creating a fixed-name diff view for each activated table with a function to set the difference checkpoints.
MSTRANSACT-337	Mark metadata tables as part of an extension so that backup and restore will copy their contents
MSTRANSACT-324	Add a SOAP call to get Versions and Checkpoints information
MSTRANSACT-344	Activating a table containing rows fails if checkpoint 1 does not exist
MSTRANSACT-345	Cannot activate a table with only one column

3 Providing Feedback

If assistance is required while deploying this release, please contact either your Distributor or 1Spatial Support.

1Spatial Support is a dedicated support channel to users of the software to raise bugs and ask questions specific to 1SMS.

To contact 1Spatial Support, please visit our website: <http://www.1spatial.com/services/support>

Maximise the value of this release with 1Spatial training courses. For training enquiries please contact your Account Manager or email: training@1spatial.com.